www.ijarp.com ISSN 2456-9992 Page: 01-10

International Journal Advanced Research Publications

Review Article

Volume: 02
Issue: 09

BEST INDIAN CARBOHYDRATE SOURCES FOR BUILDING LEAN MUSCLE

***Dr. S. Senthil Kumaran**

Assistant Professor, General & Adapted Physical Education and Yoga (GAPEY), Ramakrishna Mission Vivekananda Educational & Research Institute (Deemed University), Coimbatore, Tamil Nadu.

Article Received: 16 August 2026, Article Revised: 06 September 2026, Published on: 26 September 2026

***Corresponding Author: Dr. S. Senthil Kumaran**
Assistant Professor, General & Adapted Physical Education and Yoga (GAPEY), Ramakrishna Mission Vivekananda Educational & Research Institute (Deemed University), Coimbatore, Tamil Nadu.
Doi: https://doi-doi.org/101555/ijarp.3931

ABSTRACT

Carbohydrates are an important component of a muscle-building diet because they provide energy for resistance training, replenish muscle glycogen, and help support adequate overall calorie intake. India has a wide variety of carbohydrate-rich foods, including rice, wheat, oats, millets, potatoes, sweet potatoes, fruits, pulses and traditional cereal-based foods. The 2024 Dietary Guidelines for Indians from the Indian Council of Medical Research National Institute of Nutrition (ICMR–NIN) identify cereals and millets as major carbohydrate sources and also recognize pulses, fruits, vegetables, tubers, nuts, seeds and milk as contributors to dietary carbohydrate. For individuals attempting to build lean muscle, carbohydrate quality and food variety are important. Minimally processed whole grains, millets, pulses, fruits and tubers can provide carbohydrates along with dietary fibre, vitamins, minerals and other beneficial nutrients. However, carbohydrates should not be considered a substitute for protein. Resistance exercise and adequate protein intake are primary nutritional and training factors supporting muscle protein synthesis and hypertrophy. Recent evidence also suggests that higher carbohydrate intake by itself does not necessarily produce greater muscle hypertrophy when other factors, particularly protein and energy intake, are controlled.

KEYWORDS: Indian carbohydrates, muscle building, lean muscle, complex carbohydrates, rice, oats, millets, whole grains, potatoes, sweet potatoes, fruits, pulses, sports nutrition, resistance training, muscle recovery, glycogen.

INTRODUCTION

Building lean muscle requires a combination of progressive resistance training, sufficient energy, adequate protein, appropriate carbohydrate intake, dietary fat, sleep, and recovery. Carbohydrates have a particularly important role because they are a major source of energy and can contribute to maintaining muscle glycogen during demanding training. ICMR–NIN describes carbohydrates as major energy-providing nutrients and identifies cereals and millets as major dietary carbohydrate sources in India.

The term “clean carbohydrate” is commonly used in fitness culture, although it is not a formal scientific classification. In practical nutrition, it can refer to carbohydrate-rich foods that are minimally processed or nutrient-dense, such as rice, whole wheat, oats, millets, pulses, potatoes, sweet potatoes, fruits, and vegetables. ICMR–NIN's 2024 guidelines classify minimally polished or hand-pounded rice, whole wheat, whole millets, oats, whole pulses, fruits, vegetables, roots, and tubers among minimally altered foods.

Carbohydrates are not directly responsible for muscle growth in isolation. Muscle hypertrophy occurs primarily through adaptations to resistance training, with muscle protein synthesis playing an important role. Protein provides the amino acids required for this process, while carbohydrates can help provide energy for training and replenish glycogen. A 2026 systematic review and meta-analysis found no statistically significant independent effect of higher carbohydrate intake on muscle hypertrophy when protein and other conditions were controlled, although the certainty of evidence was considered low.

Role of Carbohydrates in Muscle Building

Carbohydrates contribute to muscle-building diets primarily by supplying energy. During resistance training, muscle glycogen can be used as a fuel source, particularly during higher-volume training. Research has suggested that carbohydrate availability may influence resistance-exercise performance, especially when training volume is high. Carbohydrate restriction does not necessarily prevent strength or hypertrophy adaptations, but adequate carbohydrate availability may be useful for maintaining training performance in certain situations. It also contribute to the restoration of muscle glycogen following exercise. This can be particularly relevant for athletes who train frequently or perform high-volume sessions. Studies investigating carbohydrate and protein intake after exercise have examined whether combining these nutrients can increase glycogen restoration compared with carbohydrate alone, although the results depend on the amount of carbohydrate, energy intake, and other dietary conditions. For someone trying to gain lean muscle, the practical

objective is therefore not to consume as many carbohydrates as possible. Instead, carbohydrate intake should be sufficient to support training, recovery, and an appropriate energy intake while leaving room for adequate protein, vegetables, fruits, and healthy fat sources.

Rice

Rice is one of the most practical carbohydrate sources in an Indian muscle-building diet. White rice is easily digested, relatively low in fibre, versatile, and convenient to consume in substantial amounts. It can therefore be particularly useful around training or for individuals who find high-fibre foods difficult to tolerate in large quantities.

Brown rice and other less-refined rice varieties provide more dietary fibre and can contribute to overall dietary variety. However, there is no scientific requirement to completely avoid white rice when building muscle. The choice between white and less-refined rice can depend on individual digestion, meal timing, appetite, preferences, and overall dietary composition. ICMR–NIN recognizes cereals as major carbohydrate sources and specifically includes minimally polished or hand-pounded rice among minimally altered foods.

Rice becomes more nutritionally complete when combined with a protein source such as dal, rajma, chickpeas, eggs, curd, paneer, fish, chicken, or another appropriate protein food. A meal such as rice with dal and vegetables can therefore provide carbohydrate, protein, fibre, and micronutrients.

Whole Wheat and Roti

Whole wheat is another useful Indian carbohydrate source. Roti or chapati made primarily from whole wheat flour can provide carbohydrate along with dietary fibre and some protein and micronutrients. It can be incorporated into meals with dal, beans, curd, paneer, eggs, chicken, fish, or vegetables. It may also provide greater satiety than highly refined grain products because of their fibre content. However, the overall meal remains more important than whether a person chooses rice or roti. Both can fit into a muscle-building diet when total energy and protein intake are appropriate.

Oats

Oats are a convenient carbohydrate option for breakfast or snacks. They contain carbohydrates, fibre, and small amounts of protein and fat. Oats can be prepared with milk or curd and combined with fruits, nuts, seeds, or other protein-rich foods.

For muscle-building purposes, oats are especially useful because they can be incorporated into calorie- and protein-containing meals. For example, oats cooked with milk and accompanied by eggs or another protein source can form a substantial breakfast. The carbohydrate content can support energy intake while the accompanying protein contributes amino acids needed for muscle protein synthesis.

Millets

Millets have an important place in traditional Indian diets and include foods such as ragi, jowar, bajra, foxtail millet, little millet, kodo millet, and other varieties. ICMR–NIN identifies millets as major carbohydrate-containing cereals and provides them within its broader recommendations concerning minimally processed grains. It can provide carbohydrate, dietary fibre, minerals, and other nutrients. Their nutritional composition varies according to the specific millet and preparation method. Ragi, for example, can be used in porridge, dosa, roti, or other preparations, while jowar and bajra can be incorporated into traditional flatbreads. For muscle building, millets do not need to replace rice or wheat completely. Rotating different grains can increase dietary variety and provide different nutrient profiles.

Potatoes

Potatoes are an affordable and versatile source of carbohydrate. They can provide energy for training and are particularly easy to incorporate into Indian meals. Boiled, steamed, baked, or lightly cooked potatoes can be included as part of a balanced meal.

The preparation method matters. Deep-frying potatoes substantially changes the calorie and fat content of the final food. Therefore, boiled, steamed, baked, or lightly cooked potatoes are generally easier to incorporate into a nutrient-dense muscle-building diet than heavily fried preparations.

Sweet Potatoes

Sweet potatoes are another useful carbohydrate source. They provide carbohydrate along with dietary fibre and micronutrients. They can be boiled, steamed, baked, or incorporated into other meals. It can be especially convenient as a pre- or post-training carbohydrate source when an individual tolerates them well. However, there is no evidence that sweet potatoes have a unique muscle-building effect compared with other appropriate carbohydrate foods. Their main advantage is that they are a nutrient-dense and practical food choice.

Bananas

Bananas are one of the most convenient fruit-based carbohydrate sources for active individuals. They provide carbohydrates and can be eaten before training, after training, or as part of a meal or snack.

A banana can be paired with milk, curd, yogurt, eggs, or another protein source when the objective is to create a more complete muscle-building snack. Fruits also contribute vitamins, minerals, water, and other plant compounds, making them useful components of an overall nutrient-dense diet.

Other Fruits

Mangoes, oranges, apples, papaya, guava, grapes, watermelon, pineapple, pomegranate, and other fruits can contribute carbohydrates to the diet. The carbohydrate content varies considerably between fruits, so portions should be adjusted according to an individual's total energy requirements.

Fruits should not be unnecessarily excluded from a lean-muscle diet because of their natural sugar content. ICMR–NIN identifies fruits and vegetables as carbohydrate-containing plant foods and recommends a varied diet containing these food groups.

Whole fruit is generally more filling than fruit juice because it retains its fibre and requires more chewing. Fresh fruit can therefore be a practical choice for individuals trying to build muscle while maintaining overall dietary quality.

Pulses and Legumes

Pulses such as lentils, chickpeas, rajma, black gram, green gram, and other legumes are particularly valuable in Indian diets because they provide both carbohydrate and protein. According to ICMR–NIN food-group data, pulses are important sources of carbohydrates, protein, and dietary fibre.

Although pulses should not necessarily be treated as a replacement for high-quality protein sources in every meal, they can make an important contribution to total protein intake. Combining rice or roti with dal, for example, creates a traditional meal containing both carbohydrate and plant protein. For individuals following vegetarian diets, combining different plant protein sources across the day can help improve the overall amino-acid profile of the diet.

Corn and Maize

Corn and maize are additional carbohydrate sources that can be included in Indian diets. Fresh corn, boiled corn, maize-based preparations, and whole-grain maize products can contribute carbohydrates and fibre.

As with other carbohydrate foods, the preparation method influences the nutritional profile. A simple boiled or roasted corn preparation differs substantially from a heavily buttered or fried snack. Choosing minimally processed preparations can make it easier to control unnecessary calories from added fats.

Traditional Indian Carbohydrate Foods

Indian cuisine provides numerous traditional carbohydrate-containing foods, including idli, dosa, poha, upma, rice dishes, roti, chapati, millet preparations, and various pulse-based foods. These foods can be compatible with muscle-building nutrition when their ingredients and portions are considered in the context of the entire diet. ICMR–NIN specifically includes preparations made from whole grains, pulses, millets, and their flours among foods that can be consumed as part of a minimally processed dietary pattern.

The key consideration is not whether a food has a traditional or modern fitness label. Instead, the nutritional composition of the complete meal should be considered. A dosa with a protein-rich accompaniment, for example, can fit into a muscle-building diet just as rice with dal can.

How to Combine Carbohydrates with Protein

Carbohydrates work best in a muscle-building diet when they are incorporated into balanced meals containing adequate protein. Resistance exercise stimulates muscle protein synthesis, and dietary protein supplies the amino acids required for this process. Evidence-based sports nutrition guidelines commonly recommend approximately 1.4–2.0 g of protein per kilogram of body weight per day for exercising individuals, although individual requirements vary.

A practical Indian meal might therefore combine rice with dal and curd, roti with eggs and vegetables, oats with milk and fruit, or potatoes with paneer, fish, chicken, or another protein source. This approach makes carbohydrates part of an overall dietary strategy rather than treating them as a standalone muscle-building nutrient.

A large meta-analysis of resistance-training studies found that increasing protein intake can improve gains in muscle mass and strength, with diminishing additional benefits observed beyond approximately 1.6 g/kg/day in the analyzed population.

Carbohydrate Timing Around Exercise

Carbohydrate timing can be individualized according to training schedule, exercise volume, digestion, and personal preference. A carbohydrate-containing meal before training may help provide energy, particularly when the training session is demanding or when several hours have passed since the previous meal.

After training, carbohydrates can contribute to glycogen restoration. This may be particularly important for people completing frequent or high-volume training sessions. However, the idea that everyone must consume carbohydrates immediately after resistance training to build muscle is not strongly supported. Muscle protein synthesis depends substantially on adequate protein and resistance exercise, while carbohydrate's major practical contribution is energy availability and glycogen restoration. The overall daily diet is therefore more important than obsessing over a narrow post-workout window.

How Much Carbohydrate Should You Eat?

There is no single carbohydrate intake that is appropriate for every person trying to build muscle. Requirements depend on body size, training volume, training frequency, total energy expenditure, goals, food preferences, and tolerance.

A person performing high-volume resistance training may require more carbohydrate than someone performing a small amount of resistance exercise. Similarly, an individual attempting to gain weight may need more total energy than someone attempting to maintain body weight while gradually improving body composition.

Rather than selecting a rigid carbohydrate number, it is useful to establish adequate protein and total energy intake first and then adjust carbohydrate intake according to training performance, appetite, body-weight trends, recovery, and personal preference. Current evidence does not establish that simply increasing carbohydrate intake independently produces greater muscle hypertrophy.

Clean Carbohydrates and Lean Bulking

A lean-bulking diet generally aims to provide enough energy to support muscle growth while limiting unnecessary increases in body fat. Carbohydrate-rich foods can make this easier because they provide an efficient source of dietary energy and can support demanding training.

However, the word “clean” should not create an unnecessarily restrictive diet. White rice, for example, can be part of a healthy diet even though it is more refined than brown rice. Likewise, traditional Indian foods can be incorporated according to their ingredients, cooking methods, portion sizes, and overall nutrient composition. The most useful approach is dietary variety. Rice, wheat, oats, millets, potatoes, sweet potatoes, fruits, pulses, and other carbohydrate sources can all have a place in a balanced diet.

Sample Indian Muscle-Building Meal Pattern

A practical breakfast could consist of oats cooked with milk and fruit, accompanied by eggs or another suitable protein source. Lunch could include rice or roti with dal, vegetables, curd, and a protein source such as paneer, eggs, fish, or chicken. A pre-training snack could consist of a banana with curd or another easily tolerated combination of carbohydrate and protein.

After training, a meal containing rice, potatoes, roti, or another carbohydrate source together with an adequate protein source can support overall recovery and energy intake. Dinner could include chapati or rice, vegetables, dal, and a suitable protein-rich food. These examples are not individualized meal prescriptions; portion sizes should be adjusted according to body size, energy needs, training demands, and personal goals.

CONCLUSION

Indian diets provide a wide range of high-quality carbohydrate choices that can support a lean-muscle-building lifestyle. Rice, whole wheat, oats, millets, potatoes, sweet potatoes, bananas, other fruits, pulses, and corn can all contribute useful carbohydrate, fibre, vitamins, minerals, and energy to the diet.

Carbohydrates should be viewed primarily as an important source of energy and training fuel rather than as a direct muscle-building nutrient. Current evidence suggests that higher carbohydrate intake alone does not necessarily increase muscle hypertrophy when other factors are controlled. However, adequate carbohydrate availability can support demanding resistance training and glycogen restoration, which may help an individual maintain productive training and recovery.

For building lean muscle, the strongest overall strategy is to combine progressive resistance training with sufficient total energy, adequate protein, a varied diet, appropriate carbohydrate intake, healthy fat sources, and sufficient recovery. Indian carbohydrate foods can fit very effectively into this approach without requiring extreme dietary restriction or dependence on expensive sports products.

REFERENCES

1. Indian Council of Medical Research–National Institute of Nutrition. (2024). _Dietary Guidelines for Indians_. ICMR-NIN, Hyderabad. ICMR National Institute of Nutrition+1

2. Longvah, T., Ananthan, R., Bhaskarachary, K., & Venkiah, K. (2017). _Indian Food Composition Tables_. Indian Council of Medical Research–National Institute of Nutrition. ICMR National Institute of Nutrition

3. Henselmans, M., Vårvik, F. T., & Izquierdo, M. (2026). The effect of carbohydrate intake on muscle hypertrophy: A systematic review and meta-analysis. _Sports Medicine, 56_(3), 691–702.

4. Jäger, R., Kerksick, C. M., Campbell, B. I., et al. (2017). International Society of Sports Nutrition position stand: Protein and exercise. _Journal of the International Society of Sports Nutrition, 14_, 20.

5. Morton, R. W., Murphy, K. T., McKellar, S. R., et al. (2018). A systematic review, meta-analysis and meta-regression of the effect of protein supplementation on resistance training-induced gains in muscle mass and strength. _British Journal of Sports Medicine, 52_(6), 376–384.

6. Phillips, S. M. (2011). The science of muscle hypertrophy: Making dietary protein count. _Proceedings of the Nutrition Society, 70_(1), 100–103.

7. McGlory, C., Devries, M. C., & Phillips, S. M. (2018). Recent perspectives regarding the role of dietary protein for the promotion of muscle hypertrophy with resistance exercise training. _Nutrients, 10_(2), 180.

8. Figueiredo, V. C., & Cameron-Smith, D. (2013). Is carbohydrate needed to further stimulate muscle protein synthesis/hypertrophy following resistance exercise? _Journal of the International Society of Sports Nutrition, 10_, 42.

9. Haff, G. G., et al. (2003). Carbohydrate supplementation and resistance training. _Journal of Strength and Conditioning Research_.

10. Lambert, C. P., Frank, L. L., & Evans, W. J. (2004). Macronutrient considerations for the sport of bodybuilding. _Sports Medicine, 34_(5), 317–327.

11. Slater, G., & Phillips, S. M. (2011). Nutrition guidelines for strength sports: Sprinting, weightlifting, throwing events, and bodybuilding. _Journal of Sports Sciences, 29_(sup1), S67–S77.

12. Kerksick, C. M., Arent, S., Schoenfeld, B. J., et al. (2017). International Society of Sports Nutrition position stand: Nutrient timing. _Journal of the International Society of Sports Nutrition, 14_, 33.

13. Kerksick, C. M., Wilborn, C. D., Roberts, M. D., et al. (2018). ISSN exercise & sports nutrition review update: Research & recommendations. _Journal of the International Society of Sports Nutrition, 15_, 38.

14. Thomas, D. T., Erdman, K. A., & Burke, L. M. (2016). Position of the Academy of Nutrition and Dietetics, Dietitians of Canada, and the American College of Sports Medicine: Nutrition and athletic performance. _Journal of the Academy of Nutrition and Dietetics, 116_(3), 501–528.

15. Burke, L. M., Hawley, J. A., Wong, S. H. S., & Jeukendrup, A. E. (2011). Carbohydrates for training and competition. _Journal of Sports Sciences, 29_(sup1), S17–S27.

16. Impey, S. G., Hearris, M. A., Hammond, K. M., et al. (2018). Fuel for the work required: A theoretical framework for carbohydrate periodization and the glycogen threshold hypothesis. _Sports Medicine, 48_(5), 1031–1048.

17. Margolis, L. M., Allen, J. T., Hatch-McChesney, A., & Pasiakos, S. M. (2021). Coingestion of carbohydrate and protein on muscle glycogen synthesis after exercise: A meta-analysis. _Medicine & Science in Sports & Exercise, 53_(2), 384–393.

18. Cholewa, J. M., Newmire, D. E., & Zanchi, N. E. (2019). Carbohydrate restriction: Friend or foe of resistance-based exercise performance? _Sports Medicine, 49_, 43–51.

19. Paquin, J., Tremblay, R., Islam, H., et al. (2024). Resistance training, skeletal muscle hypertrophy, and glucose homeostasis: How related are they? A systematic review and meta-analysis. _Applied Physiology, Nutrition, and Metabolism, 49_(12), 1622–1635.

20. Jäger, R., Kerksick, C. M., Campbell, B. I., et al. (2007). International Society of Sports Nutrition position stand: Protein and exercise. _Journal of the International Society of Sports Nutrition_.